

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011 No. 0001 — CPR-2013/07/01

No.: 910

- | | | | |
|--|--|---|--|
| 1. Unique identification code of the product-type | RAIS 2:1 | | ATTIKA 2:1 |
| 2. Type | Inset appliance burning solid fuel without hot water supply Look through appliance | | |
| 3. Intended use | Domestic room heater | | |
| 4. Manufacturer | RAIS A/S Industrivej 20, Vangen DK-9900 Frederikshavn, Denmark | Telephone Telefax Webmail Homepage | +45 98 47 90 33 +45 98 47 92 91 kundeservice@rais.dk www.rais.com |
| 5. Authorised representative | n/a | | |
| 6. System of assessment AVCP | System 3 | | |
| 7. Notified body | The notified laboratory <i>Danish Technological Institute - Identification no. 1235 Teknologiparken, Kongsvang Allé 29, DK-8000 Århus C</i> performed the determination of the product type on the basis of type testing under system 3 and issued test report a. 300-ELAB-1275-EN | | |

- 8. Declared performance** Harmonized technical specification: EN 13229:2001/A2:2004/AC:2007

| Essential characteristics | Performance | |
|--|---------------------------------|---|
| Fire safety | | |
| Reaction to fire | A1 | <ul style="list-style-type: none"> Insulated flue 13 mm non-combustible panel board |
| Distance to combustible materials Minimum distances [mm] <i>For other installation or wall settings see instruction manual</i> | Insulation thickness front/rear | 63 |
| | Insulation thickness sides | 113 |
| | Insulation thickness ceiling | 590 |
| | Front | 600 |
| | Floor | 450 |
| Risk of burning fuel falling out | Pass | |
| CO-emission of combustion products | 0.13 % | |
| Surface temperature | Pass | |
| Electrical safety | Pass | |
| Cleanability | Pass | |
| Maximum operating pressure | - bar | |
| Flue gas temperature T at nominal heat output | 297 °C | |
| Mechanical resistance (to carry a chimney/flue) | NPD | |
| Thermal output | | |
| Nominal heat output | 6.5 kW | |
| Room heating output | 6.5 kW | |
| Water heating output | - kW | |
| Energy efficiency ⁷⁾ | 79 % | |


- 9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.**

Signed for and on behalf of the manufacturer by:

Henrik Nørgaard, Managing Director

Place FREDERIKSHAVN, DENMARK

Date 27-06-2013



 Signature