## **UK DECLARATION OF PERFORMANCE**

## CPR 2011 (Retained EU law 305/2011) as amended



No.: 911

1. Unique identification code of the

product-type

RAIS 900, ATTIKA 900

2. Type

Inset appliance burning solid fuel without hot water supply

3. Intended use

Manufacturer

Domestic room heater

RAIS A/S

Telephone

+45 98 47 90 33

Industrivej 20, Vangen

Telefax

+45 98 47 92 91

DK-9900 Frederikshavn,

Webmail

kundeservice@rais.dk

Denmark

rk

Homepage

www.rais.com

5. Authorised representative

System of assessment AVCP

n/a

System 3
Approved Body – Kiwa Ltd No. 0558 and Report Number

7. Approved Body

performed the determination of the product type on the basis of type testing under system

3 and issued test report

8. Declared performance

Harmonized technical specification:

EN 13229:2001/A2:2004/AC:2007

Essential characteristics  Fire safety		Performance Insulated flue 50 mm Skamotec 225 non-combustible panel board Distances are measured externally on the built-in box
Distance to combustible materials	rear	0
Minimum distances [mm]	sides	300
For other installation or wall	ceiling	900
settings see instruction manual	Front	900
	Floor	375
Risk of burning fuel falling out	Pass	
OGC (mg/Nm³ rel. 13 Vol-% O <sub>2</sub> )	39	
CO-emission of combustion products	0,0624 % / 780 mg/Nm³	
NO <sub>X</sub> (mg/Nm³ rel. 13 Vol-% O <sub>2</sub> )	93	
Dust mg/Nm³ at (rel. 13 Vol-% O <sub>2</sub> )	7	
Surface temperature	Pass	
Electrical safety	NPD	
Cleanability	Pass	
Maximum operating pressure	- bar	
Flue gas temperature T at nominal heat output	297 °C	
Mechanical resistance (to carry a chimney/flue)	NPD	
Thermal output		
Nominal heat output	6,9 kW	
Room heating output	6,9 kW	
Water heating output	- kW	
Energy efficiency <sup>17</sup>	79 %	
Seasonal Efficiency ηS,on	69 %	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Place

FREDERIKSHAVN, DENMARK

Date

12-10-2023

John Engell Nielsen, R&D Manager

Signatura